


FIDO Pharma
Pvt. Ltd.

FOR A BETTER LIFE



20+
ENZYMES

20
NUTRACEUTICALS

30+
PROBIOTICS

30+
PROBIOTIC BLENDS

COMPANY PROFILE

Fido Pharma Private Limited delivers Enzyme Solutions, Nutraceuticals & Probiotics for customer applications in Biopharmaceutical, Fine Chemicals, Food & Feed and Cosmetics industries. With a portfolio of over 20 Enzymes, 20 Nutraceuticals, 30 Probiotics & 30 Probiotic Blends, FIDO PHARMA PRIVATE LIMITED has a proven record of providing customized solutions.



As an application-driven provider, we work closely with our customers to better understand and fulfill their individual needs.

OUR MISSION

Manufacture quality Enzymes, Nutraceuticals, Probiotics and Probiotic Blends at affordable prices. To provide complete satisfaction to our customers through high quality products derived from state of art R&D facilities & continuous product improvement, while promoting sustainable growth in the global market.

OUR VISION

Our Vision is to become a Global Leader in all our principal market.





ENZYMES

Enzymes are large biomolecules required for the numerous chemical interconversions that sustain life. These are generally known as “Biocatalyst”.

They are highly efficient and can increase reaction rates by 100 million to 10 billion times faster than any normal chemical reaction.

Enzymes are highly selective catalysts which can greatly accelerate both the rate and specificity of metabolic reactions, which range from the digestion of food to the synthesis of DNA. Almost all the chemical reactions in a biological cell need enzymes in order to occur at rates sufficient for life.

Name	Appearance	Assay	Image
1. Bromelain	White to off white color powder	NLT 1200 GDU, NLT 2400 GDU	
2. Trypsin Chymotrypsin	White to off white color powder	6:1 (Trypsin NLT 2400 units /mg and Chymotrypsin NLT 400 units/mg)	
3. Trypsin	White to off white color powder	NLT 0.5 µkatal, NLT 250 units/mg	
4. Serratiopeptidase	A greyish white to pale brown color powder	NLT 2000 IU	
5. Serratiopeptidase EC Granules	A greyish white to pale brown color granules	NLT 2000 IU	
6. Pepsin	White to off white color powder	NLT 1:3000, NLT 1:10000	
7. Papain	Off White to cream color powder, Hygroscopic	100 TU/mg, 500 TU/mg, 1000 TU/mg	
8. Transglutaminase	White to off white color powder	NLT 10%-99%	
9. Alpha Galactosidase	White to off white color powder	upto 50000 µ/gm	
10. Lipase	Off white to cream color powder	upto 100000 µ/gm	
11. Invertase	Off white to light brown color powder	upto 200000 IU/gm	
12. Phytase	Off white to cream color powder	upto 50000 µ/gm	
13. Lactase	Off white to cream color powder	upto 100000 µ/gm	
14. Lysozyme	Off white to cream color powder	upto 100000 µ/gm	
15. Inulinase	Off white to cream color powder	upto 100000 µ/gm	
16. Xylose Isomerase	Off white to cream color powder	upto 100000 µ/gm	
17. Cellulase	Off white to cream color powder	upto 100000 µ/gm	
18. Hemicellulase	Off-white to cream color powder	1000 IU - 100000 IU	
19. Mannanase	Off white to cream color powder	1000 IU - 100000 IU	
20. Protease	White to off white color powder	upto 20000 IU/g	
21. Pancreatin	White to off white color powder	4NF, 8NF, High Lipase	
22. Fungal Diastase	White to off white color powder	1:2000 u/gm	
23. Lactic acid bacillus	White to off white color powder	6 Billion cfu/gm	

NUTRACEUTICAL

Nutraceuticals means, **NUTRITIVE + PHARMACEUTICAL**
A food stuff (as a fortified food or dietary supplement) that provides health benefits. The term nutraceuticals was coined from “nutrition” and “pharmaceutical” by Stephen Defelice MD.
Nutraceuticals are food or part of a food that provides medical or health benefits including the prevention and/or treatment of a disease.



Health Benefits

- Natural dietary supplement
- Increase the health beneficial effect
- No Side effects

Name	Appearance	Assay	Image
1. D Chiro Inositol	White powder	NLT 95.0%	
2. DHA Veg	White powder	10%, 20%	
3. L-Glutathione Reduced	White powder	95.0%	
4. Hyaluronic Acid	Fine White color powder with no odor	95.0%	
5. Sodium Hyaluronate	Fine White color powder with no odor	95.0%	
6. Rutoside Trihydrate	Light yellow green powder	50.0%, 95.0%	
7. Alpha Lipoic Acid	Yellow crystalline powder	95.0%	
8. Grape Seed Extract	Light Reddish brown fine powder	95%	
9. Yohimbine	White to off white color powder	95%	
10. Quercetin	Yellow crystalline powder	95.0%	
11. Lactoferrin	Off-white to light pink color powder	10.0%, 30.0%, 50.0%, 95.0%	
12. Pyrroloquinoline Quinone (PQQ)	Light Reddish Brown fine powder	99.0%	

PROBIOTICS

A possibility of gut microbial community management is the use of preprobiotics, where probiotics and prebiotics are used in combination.
The term “prebiotic” refers to selectively fermented ingredients which result in specific changes in composition and the activity of gastrointestinal flora, with consequent health benefits for the host.
Probiotics are live microorganisms that provide health benefits when consumed, generally by improving and restoring the gut flora and are considered to be safe to consume



The combination of both prebiotic and probiotic has synergistic effects because in addition to promoting the growth of existing strains of beneficial bacteria in the colon, preprobiotics also act to improve the survival, implantation and growth of newly added probiotic strains.

<i>Bifidobacterium longum</i>	<i>Bifidobacterium bifidum</i>	<i>Bifidobacterium lactis</i>
<i>Bifidobacterium infantis</i>	<i>Bifidobacterium animalis</i>	<i>Bifidobacterium breve</i>
<i>Lactobacillus acidophilus</i>	<i>Lactobacillus brevis</i>	<i>Lactobacillus buchneri</i>
<i>Lactobacillus casei</i>	<i>Lactobacillus paracasei</i>	<i>Lactobacillus sporogens</i>
<i>Lactobacillus reuteri</i>	<i>Lactobacillus plantarum</i>	<i>Lactobacillus helveticus</i>
<i>Lactobacillus bulgaricus</i>	<i>Lactobacillus delbrueckii</i>	<i>Lactobacillus salivarius</i>
<i>Lactobacillus sanfranciscensis</i>	<i>Lactobacillus jensenii</i>	<i>Lactobacillus cripatus</i>
<i>Lactobacillus gasseri</i>	<i>Lactobacillus rhamnosus</i>	<i>Lactobacillus fermentum</i>
<i>Lactobacillus oris</i>	<i>Lactobacillus johnsonii</i>	<i>Lactobacillus diolivorans</i>
<i>Streptococcus thermophilus</i>	<i>Saccharomyces boulardii</i>	<i>Bacillus subtilis</i>
<i>Bacillus clausi</i>	<i>Bacillus coagulans</i>	<i>Bacillus cereus</i>
<i>Bacillus licheniformis</i>	<i>Lactic Acid Bacillus</i>	<i>Pediococcus acidilactici</i>
<i>Clostridium butyricum</i>	<i>Aspergillus oryzae</i>	<i>Enterococcus faecalis</i>
<i>Enterococcus faecium</i>	<i>Enterococcus durans</i>	<i>Leuconostoc mesenteroides</i>
<i>Saccharomyces cerevisiae</i>	<i>Pediococcus pentosaceus</i>	<i>Pichia farinosa</i>
<i>Dekkera bruxellensis</i>		

PROBIOTIC BLENDS

A possibility of gut microbial community management is the use of preprobiotics, where probiotics and prebiotics are used in combination.

The combination of both prebiotic and probiotic has synergistic effects because in addition to promoting the growth of existing strains of beneficial bacteria in the colon, preprobiotics also act to improve the survival, implantation and growth of newly added probiotic strains.



PBP - I	
Each 238 mg contains	
Lactobacillus acidophilus	20 Billion CFU
Lactobacillus rhamnosus	
Bifidobacterium bifidum	
Bifidobacterium longum	
Bacillus coagulans	
Sacharromyces boulardii	
Streptococcus thermophilus	
Fructo-oligosaccharides	50 mg

PBP - II	
Each 10 gm contains	
Lactobacillus acidophilus	20 Billion CFU
Lactobacillus plantarum	
Lactobacillus delbruekii subsp bulgaricus	
Lactobacillus reuteri	
Lactobacillus casei	
Bifidobacterium breve	
Bifidobacterium bifidum	
Bifidobacterium animalis subs lactis	
Bifidobacterium longum subsp infantis	
Bacillus coagulans	
Sacharromyces boulardii	
Streptococcus thermophilus	
Fructo-oligosaccharides	50 mg

PBP - III	
Each 0.5 gram contains	
Lactobacillus plantarum	2.5 Billion CFU
Lactobacillus acidophilus	2.5 Billion CFU
Lactobacillus rhamnosus	2.5 Billion CFU
Lactobacillus salivarius	2.5 Billion CFU
Lactobacillus gasseri	2.5 Billion CFU
Lactobacillus fermentum	2.5 Billion CFU
Lactobacillus casei	2.5 Billion CFU
Lactobacillus reuteri	2.5 Billion CFU
Lactobacillus paracasei	2.5 Billion CFU
Bifidobacterium infantis	1 Billion CFU
Bifidobacterium bifidum	1 Billion CFU
Bifidobacterium lactis	1 Billion CFU
Bifidobacterium longum	1 Billion CFU
Bifidobacterium breve	1 Billion CFU
Streptococcus thermophilus	2 Billion CFU
Sacharromyces boulardii	0.5 Billion CFU

PBP - IV	
Each 280 mg contains	
Streptococcus fecalis	60 Million CFU
Clostridium butyricum	4 Million CFU
Bacillus mesentericus	2 Million CFU
Lactic Acid Bacillus	100 Million CFU

PBP - V	
Each 500 mg contains	
Streptococcus thermophilus	5 Billion CFU
Lactobacillus acidophilus	5 Billion CFU
Bifidobacterium longum	5 Billion CFU
Lactitol monohydrate	100 mg

PBP - VI	
Each 300 mg contains (Size 1 Capsule)	
Lactobacillus acidophilus	0.48 Billion CFU
Lactobacillus rhamnosus	0.48 Billion CFU
Bifidobacterium longum	0.48 Billion CFU
Bifidobacterium bifidum	0.48 Billion CFU
Saccharomyces boulardii	0.50 Billion CFU
Streptococcus thermophiles	0.48 Billion CFU
Fructooligosaccharides	300 mg

PBP - VII	
Each 5 gm contains	
<i>Streptococcus faecalis</i>	30 Million CFU
<i>Clostridium butyricum</i>	2 Million CFU
<i>Bacillus mesentericus</i>	1 Million CFU
<i>Lactic acid bacillus (Lactobacillus sporogenes)</i>	50 Million CFU

PBP - VIII	
Each 250 mg contains	
<i>Streptococcus faecalis</i>	30 Million CFU
<i>Clostridium butyricum</i>	2 Million CFU
<i>Bacillus mesentericus</i>	1 Million CFU
<i>Lactobacillus sporogens</i>	50 Million CFU
<i>Saccharomyces boulardii</i>	50 Million CFU

PBP - IX	
Each gram contains	
<i>Lactobacillus acidophilus</i>	300 Billion CFU/g
<i>Lactobacillus plantarum</i>	
<i>Lactobacillus casei</i>	
<i>Lactobacillus paracasei</i>	
<i>Lactobacillus bulgaricus</i>	
<i>Lactobacillus brevis</i>	
<i>Lactobacillus reuteri</i>	
<i>Lactobacillus salivarius</i>	
<i>Lactobacillus fermentum</i>	
<i>Lactobacillus gasseri</i>	
<i>Lactobacillus rhamnosus</i>	

PBP - X	
Each gram contains	
<i>Bifidobacterium lactis</i>	300 Billion CFU/g
<i>Bifidobacterium bifidum</i>	
<i>Bifidobacterium breve</i>	
<i>Bifidobacterium infantis</i>	
<i>Bifidobacterium longum</i>	

PBP - XI	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i> (0.60 Billion CFU)	400 mg
<i>Lactobacillus rhamnosus</i> (0.60 Billion CFU)	
<i>Bifidobacterium bifidum</i> (0.60 Billion CFU)	
<i>Bifidobacterium longum</i> (0.60 Billion CFU)	
<i>Saccharomyces boulardii</i> (0.35 Billion CFU)	
Fructooligosaccharides	100 mg

PBP - XII	
Each 500 mg contains	
<i>Lactobacillus plantarum</i>	25 Billion CFU
<i>Lactobacillus fermentum</i>	
<i>Lactobacillus acidophilus</i>	
<i>Lactobacillus casei</i>	
<i>Lactobacillus rhamnosus</i>	
<i>Bifidobacterium infantis</i>	
<i>Bifidobacterium lactis</i>	
<i>Lactobacillus reuteri</i>	
<i>Lactobacillus salivarius</i>	
<i>Lactobacillus paracasei</i>	
<i>Lactobacillus gasseri</i>	
<i>Streptococcus thermophilus</i>	
<i>Bifidobacterium brevei</i>	

PBP - XIII	
Each 1 gram contains	
<i>Lactobacillus acidophilus</i>	350 Million CFU
<i>Lactobacillus rhamnosus</i>	200 Million CFU
<i>Lactobacillus casei</i>	150 Million CFU
<i>Lactobacillus plantarum</i>	150 Million CFU
<i>Lactobacillus bulgaricus</i>	150 Million CFU
<i>Bifidobacterium longum</i>	150 Million CFU
<i>Bifidobacterium infantis</i>	150 Million CFU
<i>Bifidobacterium breve</i>	150 Million CFU
<i>Streptococcus thermophilus</i>	200 Million CFU
<i>Saccharomyces boulardii</i>	0.05 Billion CFU
Fructo-oligosaccharides	100 mg
Element Zinc	10 mg

PBP - XIV	
Each 1 gram contains	
<i>Lactobacillus acidophilus</i>	2.5 Billion CFU
<i>Lactobacillus rhamnosus</i>	
<i>Bifidobacterium longum</i>	
<i>Saccharomyces boulardii</i>	
Fructo-oligosaccharides	100 mg

PBP - XV	
Each 238 mg contains	
<i>Streptococcus faecalis</i>	7.5 Million CFU
<i>Clostridium butyricum</i>	0.5 Million CFU
<i>Bacillus mesentericus</i>	0.25 Million CFU
<i>Lactic acid bacillus</i>	20 Million CFU

PBP - XVI	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	0.625 Billion CFU
<i>Lactobacillus rhamnosus</i>	0.500 Billion CFU
<i>Bifidobacterium longum</i>	0.200 Billion CFU
<i>Bifidobacterium bifidum</i>	0.050 Billion CFU
<i>Streptococcus thermophilus</i>	0.625 Billion CFU
<i>Saccharomyces boulardii</i>	2.5 Billion CFU
Fructooligosaccharides	100 mg CFU

PBP - XVII	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	1.4 Billion CFU
<i>Lactobacillus rhamnosus</i>	0.8 Billion CFU
<i>Bifidobacterium longum</i>	0.6 Billion CFU
<i>Streptococcus thermophilus</i>	0.8 Billion CFU
<i>Bifidobacterium infantis</i>	0.6 Billion CFU
<i>Lactobacillus casei</i>	0.6 Billion CFU
<i>Lactobacillus plantarum</i>	0.6 Billion CFU
<i>Lactobacillus bulgaricus</i>	0.6 Billion CFU
<i>Bifidobacterium breve</i>	0.6 Billion CFU
Fructooligosaccharides	100 mg

PBP - XVIII	
Each gram contain	
<i>Streptococcus thermophilus</i>	5 Billion CFU
<i>Lactobacillus acidophilus</i>	2.5 Billion CFU
<i>Bifidobacterium longum</i>	5 Billion CFU
<i>Lactobacillus sporogens</i>	2.5 Billion CFU
Fructooligosaccharides	200 mg

PBP - XIX	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	0.60 Billion CFU
<i>Lactobacillus rhamnosus</i>	0.60 Billion CFU
<i>Bifidobacterium bifidum</i>	0.60 Billion CFU
<i>Bifidobacterium longum</i>	0.60 Billion CFU
<i>Saccharomyces boulardii</i>	0.60 Billion CFU
Fructooligosaccharides	100 mg

PBP - XX	
Each 0.5 gm contains	
Fructooligosaccharides	25 mg
<i>Lactobacillus acidophilus</i>	2.5 Billion CFU
<i>Bifidobacterium longum</i>	
<i>Bifidobacterium infantis</i>	
<i>Bifidobacterium bifidum</i>	
Zinc Sulphate	5 mg

PBP - XXI	
Each 0.5 gram contains	
<i>Lactobacillus plantarum</i>	2.5 Billion CFU
<i>Lactobacillus acidophilus</i>	2.5 Billion CFU
<i>Lactobacillus rhamnosus</i>	2.5 Billion CFU
<i>Lactobacillus salivarius</i>	2.5 Billion CFU
<i>Lactobacillus gasseri</i>	2.5 Billion CFU
<i>Lactobacillus fermentum</i>	2.5 Billion CFU
<i>Lactobacillus casei</i>	2.5 Billion CFU
<i>Lactobacillus reuteri</i>	2.5 Billion CFU
<i>Lactobacillus paracasei</i>	2.5 Billion CFU
<i>Bifidobacterium infantis</i>	1 Billion CFU
<i>Bifidobacterium bifidum</i>	1 Billion CFU
<i>Bifidobacterium lactis</i>	1 Billion CFU
<i>Bifidobacterium longum</i>	1 Billion CFU
<i>Bifidobacterium breve</i>	1 Billion CFU
<i>Streptococcus thermophilus</i>	2 Billion CFU
<i>Sacharromyces boulardii</i>	0.5 Billion CFU
Fructooligosaccharides	100 mg

PBP - XXII	
Each 600 mg contains	
<i>Lactobacillus plantarum</i>	3 Billion CFU
<i>Lactobacillus acidophilus</i>	3 Billion CFU
<i>Lactobacillus rhamnosus</i>	3 Billion CFU
<i>Lactobacillus salivarius</i>	3 Billion CFU
<i>Lactobacillus gasseri</i>	3 Billion CFU
<i>Lactobacillus fermentum</i>	3 Billion CFU
<i>Lactobacillus casei</i>	3 Billion CFU
<i>Lactobacillus reuteri</i>	3 Billion CFU
<i>Lactobacillus paracasei</i>	3 Billion CFU
<i>Lactobacillus lactis</i>	3 Billion CFU
<i>Lactobacillus helveticus</i>	2 Billion CFU
<i>Lactobacillus bulgaricus</i>	3 Billion CFU
<i>Bacillus coagulans</i>	1.5 Billion CFU
<i>Bifidobacterium infantis</i>	2 Billion CFU
<i>Bifidobacterium bifidum</i>	2 Billion CFU
<i>Bifidobacterium lactis</i>	2.5 Billion CFU
<i>Bifidobacterium longum</i>	2.5 Billion CFU
<i>Bifidobacterium breve</i>	2.5 Billion CFU
<i>Streptococcus thermophilus</i>	1 Billion CFU
<i>Saccharomyces boulardii</i>	1 Billion CFU
Fructooligosaccharides	150 mg

PBP - XXIII	
Each 250 mg contains	
<i>Lactobacillus acidophilus</i>	NLT 0.48 Billion CFU
<i>Lactobacillus rhamnosus</i>	NLT 0.68 Billion CFU
<i>Bifidobacterium longum</i>	NLT 0.59 Billion CFU
<i>Sacharromyces boulardii</i>	NLT 1 Billion CFU
Fructooligosaccharides	150 mg

PBP - XXIV	
Each 280 mg contains	
<i>Lactobacillus rhamnosus</i>	6.0 Billion CFU
<i>Lactobacillus casei</i>	2.5 Billion CFU
<i>Lactobacillus acidophilus</i>	3.0 Billion CFU
<i>Lactobacillus plantarum</i>	2.0 Billion CFU
<i>Lactobacillus salivarius</i>	2.0 Billion CFU
<i>Lactobacillus bulgaricus</i>	1.0 Billion CFU
<i>Lactobacillus paracasei</i>	0.5 Billion CFU
<i>Bifidobacterium bifidum</i>	5.0 Billion CFU
<i>Bifidobacterium longum</i>	1.0 Billion CFU
<i>Bifidobacterium lactis</i>	0.5 Billion CFU
<i>Bifidobacterium breve</i>	0.5 Billion CFU
<i>Streptococcus thermophilus</i>	1.0 Billion CFU
Inulin (Chicory root derived)	100 mg

PBP - XXV	
Each 500 mg contains	
<i>Lactobacillus rhamnosus</i>	24.0 Billion CFU
<i>Lactobacillus casei</i>	2.5 Billion CFU
<i>Lactobacillus acidophilus</i>	12.0 Billion CFU
<i>Lactobacillus plantarum</i>	8.0 Billion CFU
<i>Lactobacillus salivarius</i>	8.0 Billion CFU
<i>Lactobacillus bulgaricus</i>	4.0 Billion CFU
<i>Lactobacillus paracasei</i>	8.0 Billion CFU
<i>Bifidobacterium bifidum</i>	20.0 Billion CFU
<i>Bifidobacterium longum</i>	4.0 Billion CFU
<i>Bifidobacterium lactis</i>	2.0 Billion CFU
<i>Bifidobacterium breve</i>	2.0 Billion CFU
<i>Streptococcus thermophilus</i>	4.0 Billion CFU
Inulin (Chicory root derived)	150 mg

PBP - XXVI	
Each 500 mg contains	
<i>Bifidobacterium</i> Blend	18 Billion CFU
<i>Bifidobacterium lactis</i>	
<i>Bifidobacterium infantis</i>	
<i>Bifidobacterium longum</i>	
<i>Bifidobacterium breve</i>	
<i>Bifidobacterium bifidum</i>	
<i>Lactobacillus</i> Blend	1.5 Billion CFU
<i>Lactobacillus plantarum</i>	
<i>Lactobacillus bulgaricus</i>	
<i>Lactobacillus casei</i>	
<i>Lactobacillus acidophilus</i>	
<i>Streptococcus thermophilus</i>	500 Million CFU
Inulin	100 mg

PBP - XXVII	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	4.0 Billion CFU
<i>Lactobacillus rhamnosus</i>	2.0 Billion CFU
<i>Lactobacillus casei</i>	2.0 Billion CFU
<i>Lactobacillus plantarum</i>	2.0 Billion CFU
<i>Bifidobacterium bifidum</i>	5.0 Billion CFU
<i>Bifidobacterium longum</i>	5.0 Billion CFU
<i>Bifidobacterium infantis</i>	5.0 Billion CFU
Fructo-oligosaccharide	250 mg

PBP - XXVIII	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	60 Billion CFU
<i>Lactobacillus paracasei</i>	
<i>Lactobacillus casei</i>	
<i>Lactobacillus plantarum</i>	
<i>Lactobacillus salivarius</i>	
<i>Lactobacillus bulgaricus</i>	
<i>Bifidobacterium bifidum</i>	
<i>Bifidobacterium lactis</i>	
<i>Bifidobacterium longum</i>	
<i>Bifidobacterium breve</i>	
Artichoke Root	50 mg
Acacia Senegal Root	50 mg
Chicory Root	50 mg

PBP - XXIX	
Each gram contains	
1.Probiotic Blend <i>Streptococcus thermophilus</i> <i>Bifidobacterium breve</i> <i>Bifidobacterium longum</i> <i>Bifidobacterium infantis</i> <i>Lactobacillus acidophilus</i> <i>Lactobacillus plantarum</i> <i>Lactobacillus paracasei</i> <i>Lactobacillus delbrueckii sub bulgaricus</i>	60 Billion CFU
2.EPA (Eicosapentanoic Acid)	90 mg
3.DHA (Docosahexanoic Acid)	60 mg
4.Vitamin E	400 mg
5.Maltodextrin	290 mg
6.Talc	50 mg
7.Starch	100 mg

PBP - XXX	
Each 280 mg contains	
<i>Lactobacillus rhamnosus</i>	2 Billion CFU
<i>Bifidobacterium bifidum</i>	
<i>Lactobacillus acidophilus</i>	
<i>Bifidobacterium longum</i>	

PBP - XXXI	
Each 500 mg contains	
Probiotic170 mg	170 mg
Total Lacto Cultures	
Lactobacillus rhamnosus	20 Billion CFU
Lactobacillus acidophilus	
Lactobacillus plantarum	
Lactobacillus paracasei	
Lactobacillus brevis	
Lactobacillus bulgaricus	
Lactobacillus casei	
Lactobacillus gasseri	
Lactobacillus reuteri	
Lactobacillus salivarius	
Total Bifido Cultures	
Bifidobacterium longum	5 Billion CFU
Bifidobacterium infantis	
Bifidobacterium bifidum	
Bifidobacterium breve	
Bifidobacterium lactis	
Prebiotic Blend	115 mg
Potato starch	—
Acacia Fibre	—

PBP - XXXII	
Each g contains	
<i>Lactobacillus acidophilus</i>	40 Billion CFU
<i>Lactobacillus rhamnosus</i>	
<i>Lactobacillus fermentum</i>	
<i>Bifidobacterium bifidum</i>	
<i>Bifidobacterium longum</i>	
<i>S. Boulardii</i>	
Fructo-oligosaccharide	100 mg

PBP - XXXIII	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	2 Billion CFU
<i>Lactobacillus rhamnosus</i>	2 Billion CFU
<i>Lactobacillus reuteri</i>	2 Billion CFU
<i>Lactobacillus plantarum</i>	1 Billion CFU
<i>Lactobacillus casei</i>	1 Billion CFU
<i>Lactobacillus fermentum</i>	1 Billion CFU
<i>Bifidobacterium bifidum</i>	1 Billion CFU
Fructo-oligosaccharide	100 mg

PBP - XXXIV	
Each 500 mg contains	
<i>Lactobacillus acidophilus</i>	0.60 Billion CFU
<i>Lactobacillus rhamnosus</i>	0.60 Billion CFU
<i>Bifidobacterium bifidum</i>	0.60 Billion CFU
<i>Bifidobacterium longum</i>	0.60 Billion CFU
<i>Saccharomyces boulardii</i>	0.35 Billion CFU
Fructooligosaccharides	100 mg

PBP - XXXV	
Each 230 mg contains	
<i>Lactobacillus acidophilus</i>	0.5 Billion CFU
<i>Lactobacillus rhamnosus</i>	0.5 Billion CFU
<i>Bifidobacterium bifidum</i>	0.5 Billion CFU
<i>Bifidobacterium longum</i>	0.5 Billion CFU
<i>Saccharomyces boulardii</i>	0.25 Billion CFU
<i>Streptococcus thermophilus</i>	0.25 Billion CFU
Fructooligosaccharides	100 mg

PBP - XXXVI	
Each 270 mg contains	
<i>Lactobacillus acidophilus</i>	4.5 Billion CFU
<i>Streptococcus thermophilus</i>	4.5 Billion CFU
<i>Bifidobacterium longum</i>	4.5 Billion CFU
<i>Bacillus coagulans</i>	1.5 Billion CFU
Fructooligosaccharides	100 mg

MAUFACTURING CAPABILITIES

FIDO PHARMA PRIVATE LIMITED is an ISO 9001:2015 certified company, having its manufacturing unit in Hyderabad and Panchkula.

Our plant is constructed with state of art facilities to meet international standards in product quantity & environmental protection.

Our manufacturing set up is GMP Compliant and quality is ensured at all levels from inventory to delivery of products.



Our Global Reach



Corporate Office: SCO NO. 45, 2nd Floor, Sector 4, Panchkula (HR) 134112 India

Manufacturing Site 01: APIIC Industrial Estate Kukatpally, Hyderabad, TG 500073, IN

Manufacturing Site 02: Plot No. 109, Global Industrial Area, Phase 1 Mouli, Panchkula (HR) 134118

Call us on: +91-0172 4739300, +91-62848 13775

Email us at: pr@fidopharma.com, info@fidopharma.com

